



L5 ANSWER 1 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2005:244468 CAPLUS Full-text
 DN 143:3506
 TI Fluorescent metal ion indicators based on benzoannelated crown systems: a green fluorescent indicator for intracellular sodium ions
 AU Martin, Vladimir V.; Rothe, Anca; Gee, Kyle R.
 CS Molecular Probes Invitrogen Detection Technologies, Eugene, OR, 97402, USA
 SO Bioorganic & Medicinal Chemistry Letters (2005), 15(7), 1851-1855
 CODEN: BMCLE8; ISSN: 0960-894X
 PB Elsevier B.V.
 DT Journal
 LA English
 AB The synthesis and metal binding properties of cation-sensitive fluorescent indicators intended for biol. applications are described. The increase of the crown ether ring size enhances the affinity for larger cations, but weakens the fluorescent response and selectivity. A compound having a 15-crown-5 chelator directly attached to a 2,7-difluoroxanthene fluorophore loads into live cells and responds to sodium ion concentration changes with large fluorescence increases in the visible wavelength range.
 IT **690993-67-0P**, Corona Green AM
 RL: ARG (Analytical reagent use); BUU (Biological use, unclassified); SPN (Synthetic preparation); ANST (Analytical study); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (fluorescent metal ion indicators based on benzoannelated crown systems and a green fluorescent indicator for intracellular sodium ions)
 RN 690993-67-0 CAPLUS
 CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 16-[6-[(acetyloxy)methoxy]-2,7-difluoro-3-oxo-3H-xanthen-9-yl]-2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)



RE.CNT 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2005:158631 CAPLUS Full-text
 DN 142:261567
 TI Preparation of crown ether derivatives as metal chelating agents
 IN Gee, Kyle; Martin, Vladimir
 PA Molecular Probes, Inc., USA
 SO PCT Int. Appl., 136 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005016874	A2	20050224	WO 2003-US24662	20030804
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	WO 2003-US24662		20030804		
GI					



AB The invention describes crown ether chelators having the formula (I) [Y, P, Q = O, S, (un)substituted NH, absent; L is independently a covalent linkage; each Rx is independently a reactive group; E1, E2, E3 = independently -[C(R5)2]n-, -(COCH2)n-, -[C(R5)2]nO[C(R5)2]n; or E2 is absent; where n = 2, 3 or 4; R5 = independently H or Me, or two R5 moieties on adjacent carbons of one or more of E1, E2 or E3, when taken in combination, form a 5- or 6-membered aliphatic ring; R1 = each (un)substituted -L-Rx, -L-Sc, -L-DYE, C1-18 alkyl, or C7-18 arylalkyl; R7, R8, R9, R10, R19, R20 = H, halogen, azido, nitro, nitroso, amino, cyano, each (un)substituted -L-Rx, -L-Sc, -L-DYE, C1-6 alkyl, or C1-6 alkoxy; or R19 and R20 taken in combination form an (un)substituted fused six-membered benzo moiety; or any two adjacent substituents R7-R10, taken in combination, form an (un)substituted fused six-membered benzo moiety; or any two adjacent substituents R7-R10, or R19 and R20, taken in combination with each other, form a fused DYE; wherein L = a covalent linkage; Sc = a conjugated substance; DYE = a reporter mol.] and aza-substituted and thia-substituted analogs thereof. These crown ethers may be

substituted by a dye moiety, a chemical reactive group, a conjugated substance, or a combination thereof. Chelators that are substituted by fluorescent dyes, e.g. (II), are particularly useful as indicators for metal cations, particularly Na⁺ and K⁺ ions, and particularly where binding of the target ion results in a change in the fluorescence properties of the indicator that can be correlated with the ion concentration. Methods are provided for utilizing reactive groups on the chelators for conjugation to dyes, lipids and polymers and methods for enhancing entry of the indicators into living cells.

IT 690993-67-0P 690993-68-1P 690993-69-2P

690993-90-9P 690993-91-0P 690993-93-2P


690994-00-4P 690994-01-5P 846023-88-9P

RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)

(preparation of crown ether derivs. as metal chelating agents or fluorescence indicators)


RN 690993-67-0 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 16-[6-[(acetyloxy)methoxy]-2,7-difluoro-3-oxo-3H-xanthen-9-yl]-2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-68-1 CAPLUS

CN Xanthylium, 3,6-bis(dimethylamino)-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxy-2-oxoethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]- (9CI) (CA INDEX NAME)




RN 690993-69-2 CAPLUS

CN Boron, difluoro[methyl 16-[(3,5-dimethyl-1H-pyrrol-2-yl-κN)(3,5-dimethyl-2H-pyrrol-2-ylidene-κN)methyl]-2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-13-acetato]-, (T-4)- (9CI) (CA INDEX NAME)




RN 690993-90-9 CAPLUS

CN 3H-Xanthen-3-one, 6-[(acetyloxy)methoxy]-2,7-difluoro-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]- (9CI) (CA INDEX NAME)




RN 690993-91-0 CAPLUS

CN Xanthylum, 3,6-bis(dimethylamino)-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]- (9CI) (CA INDEX NAME)




RN 690993-93-2 CAPLUS

CN 1H-Indole-6-carboxylic acid, 2-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-00-4 CAPLUS

CN 1H-Indole-6-carboxylic acid, 2-[13-[2-(dimethylamino)ethyl]-2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecyl]-, methyl ester (9CI) (CA INDEX NAME)



RN 690994-01-5 CAPLUS


CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 16-(2,7-difluoro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-2,3,5,6,8,9,11,12-octahydro-, monopotassium salt (9CI) (CA INDEX NAME)



● K

RN 846023-88-9 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 2,3,5,6,8,9,11,12-octahydro-16-[6-(methoxycarbonyl)-1H-indol-2-yl]-, methyl ester (9CI) (CA INDEX NAME)




IT 36080-56-5P 690993-63-6P 690993-64-7P
 690993-65-8P 690993-66-9P 690993-70-5P
 690993-71-6P 690993-72-7P 690993-73-8P
 690993-74-9P 690993-84-1P 690993-85-2P
 690993-87-4P 690993-88-5P 690993-89-6P
 690993-92-1P 690993-94-3P 690993-95-4P
 690993-96-5P 690993-97-6P 690993-98-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of crown ether derivs. as metal chelating agents or fluorescence indicators)


RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




RN 690993-63-6 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-64-7 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 16-formyl-2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-65-8 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-(2,7-difluoro-3,6-dihydroxy-9H-xanthen-9-yl)-2,3,5,6,8,9,11,12-
octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-66-9 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-(2,7-difluoro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-2,3,5,6,8,9,11,12-
octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-70-5 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
2,3,5,6,8,9,11,12-octahydro-16-[2-[4-(methoxycarbonyl)-2-
nitrophenyl]ethenyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-71-6 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
2,3,5,6,8,9,11,12-octahydro-16-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-72-7 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
2,3,5,6,8,9,11,12-octahydro-16-[(4-sulfophenyl)azo]-, α -methyl ester
(9CI) (CA INDEX NAME)




RN 690993-73-8 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-amino-2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-74-9 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-carboxylic acid,
16-[[[3',6'-bis(acetyloxy)-2',7'-difluoro-3-oxospiro[isobenzofuran-
1(3H),9'-[9H]xanthen]-5-yl]carbonyl]amino]-2,3,5,6,8,9,11,12-octahydro-,
methyl ester (9CI) (CA INDEX NAME)




RN 690993-84-1 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-(methoxyacetyl)- (9CI) (CA INDEX NAME)




RN 690993-85-2 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 690993-87-4 CAPLUS

CN	11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde, 2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)- (9CI) (CA INDEX NAME)
----	-----------------------------------------------------------------------------------------------------------------------------------------------




RN 690993-88-5 CAPLUS

CN 9H-Xanthene-3,6-diol, 2,7-difluoro-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-(9CI) (CA INDEX NAME)




RN 690993-89-6 CAPLUS

CN 3H-Xanthhen-3-one, 2,7-difluoro-6-hydroxy-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-(9CI) (CA INDEX NAME)




RN 690993-92-1 CAPLUS

CN Benzoic acid, 3-nitro-4-[2-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]ethenyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-94-3 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 2,3,5,6,8,9,11,12-octahydro-α-oxo-, ethyl ester (9CI) (CA INDEX NAME)




RN 690993-95-4 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetamide, 2,3,5,6,8,9,11,12-octahydro-N,N-dimethyl-α-oxo- (9CI) (CA INDEX NAME)




RN 690993-96-5 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-ethanamine, 2,3,5,6,8,9,11,12-octahydro-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 690993-97-6 CAPLUS


CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde,
13-[2-(dimethylamino)ethyl]-2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX
NAME)




RN 690993-98-7 CAPLUS
CN Benzoic acid, 4-[2-[13-[2-(dimethylamino)ethyl]-2,3,5,6,8,9,12,13-
octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]ethenyl]-3-
nitro-, methyl ester (9CI) (CA INDEX NAME)



L5 ANSWER 3 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:892693 CAPLUS Full-text
 DN 142:411333
 TI Building up of macroring in the new synthesis of azacrown ethers.
 structure and complex formation of nitrobenzoazacrown ethers
 AU Gromov, S. P.; Dmitrieva, S. N.; Churakova, M. V.; Vedernikov, A. I.;
 Kurchavov, N. A.; Kuzmina, L. G.; Kataeva, N. A.; Howard, J. A.
 CS Photochemical Center, Russian Academy of Sciences, Moscow, 119421, Russia
 SO Russian Journal of Organic Chemistry (Translation of Zhurnal Organicheskoi
 Khimii) (2004), 40(8), 1200-1209
 CODEN: RJOCEQ; ISSN: 1070-4280
 PB MAIK Nauka/Interperiodica Publishing
 DT Journal
 LA English
 GI




AB The preparation of aza crown ethers I [RX = bond, n = 0-2] by cyclization of I
 [R = H, X = I, n = 0-2] with various bases and in their absence was
 investigated. The nitrobenzoazacrown ethers obtained and their complexes with
 metal cations were studied by X-ray diffraction method and by ¹H NMR titration
 I [RX = bond, n = 1] showed a capability to complex Ca²⁺ cation that
 significantly exceeded that of the nitrobenzocrown ether analog.
 IT **511538-56-0P**
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and complexation of nitrobenzoazacrown ethers)
 RN 511538-56-0 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro-13-methyl-16-nitro- (9CI) (CA INDEX NAME)



IT **511538-56-0DP**, 2:1 complexes with lithium, calcium, and barium
850421-45-3P 850513-61-0P 850513-63-2P
850513-65-4P 850513-67-6P 850513-69-8P
850513-71-2P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (preparation and complexation of nitrobenzoazacrown ethers)

RN 511538-56-0 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-methyl-16-nitro- (9CI) (CA INDEX NAME)




RN 850421-45-3 CAPLUS

CN Perchloric acid, ammonium salt, compd. with 2,3,5,6,8,9,12,13-octahydro-13-methyl-16-nitro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine (1:1)
(9CI) (CA INDEX NAME)

CM 1

CRN 511538-56-0


CMF C15 H22 N2 O6



CM 2

CRN 7601-90-3

CMF C1 H O4



RN 850513-61-0 CAPLUS


CN INDEX NAME NOT YET ASSIGNED

CM . 1

CRN 850513-60-9

CMF C15 H22 Li N2 O6


CCI CCS



CM 2

CRN 14797-73-0

CMF C1 O4



RN 850513-63-2 CAPLUS


CN INDEX NAME NOT YET ASSIGNED

CM 1

CRN 850513-62-1

CMF C15 H22 N2 Na O6


CCI CCS



CM 2

CRN 14797-73-0


CMF C1 O4



RN 850513-65-4 CAPLUS
CN INDEX NAME NOT YET ASSIGNED


CM 1

CRN 850513-64-3
CMF C15 H22 K N2 O6
CCI CCS



CM 2


CRN 14797-73-0
CMF Cl O4



RN 850513-67-6 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

CM 1


CRN 850513-66-5
CMF C15 H22 Mg N2 O6
CCI CCS



CM 2

CRN 14797-73-0

CMF C1 O4



RN 850513-69-8 CAPLUS


CN INDEX NAME NOT YET ASSIGNED

CM 1

CRN 850513-68-7

CMF C15 H22 Ca N2 O6


CCI CCS



CM 2

CRN 14797-73-0


CMF C1 O4



RN 850513-71-2 CAPLUS
 CN INDEX NAME NOT YET ASSIGNED


CM 1

CRN 850513-70-1
 CMF C15 H22 Ba N2 O6
 CCI CCS



CM 2

CRN 14797-73-0
 CMF C1 O4



RE.CNT 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

App's

L5 ANSWER 4 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:414526 CAPLUS Full-text
 DN 140:424969
 TI Metal-complexing crown ether fluorescent indicators and their use with
 biological systems
 IN Martin, Vladimir V.; Gee, Kyle
 PA USA
 SO U.S. Pat. Appl. Publ., 72 pp., Cont.-in-part of U.S. Ser. No. 26,302.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004096978	A1	20040520	US 2003-634336	20030804
	US 2002164616	A1	20021107	US 2001-26302	20011219
PRAI	US 2000-258266P	P	20001220		
	US 2001-26302	A2	20011219		
OS	MARPAT 140:424969				


AB The invention discloses dibenzocrown ether chelators. These crown ethers are substituted by a dye moiety, a chemical reactive group, a conjugated substance, or a combination thereof. Chelators that are substituted by fluorescent dyes are particularly useful as indicators for metal cations, particularly Na⁺ and K⁺ ions, and particularly where binding of the target ion results in a change in the fluorescence properties of the indicator that can be correlated with the ion concentration. Methods are provided for utilizing reactive groups on the chelators for conjugation to dyes, lipids, and polymers and methods for enhancing entry of the indicators into living cells.

IT 690993-91-0P 690993-93-2P 690994-00-4P
 690994-01-5P 690994-05-9P 690994-07-1P
 690994-08-2P 690994-09-3P 690994-10-6P
 690994-11-7P 690994-12-8P 690994-13-9P
 690994-14-0P

RL: IMF (Industrial manufacture); PREP (Preparation)
 (production of metal-complexing crown ether fluorescent indicators and their use with biol. systems)


RN 690993-91-0 CAPLUS

CN Xanthylum, 3,6-bis(dimethylamino)-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-
 (9CI) (CA INDEX NAME)




RN 690993-93-2 CAPLUS

CN 1H-Indole-6-carboxylic acid, 2-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-00-4 CAPLUS

CN 1H-Indole-6-carboxylic acid, 2-[13-[2-(dimethylamino)ethyl]-2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-01-5 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 16-(2,7-difluoro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-2,3,5,6,8,9,11,12-octahydro-, monopotassium salt (9CI) (CA INDEX NAME)




RN 690994-05-9 CAPLUS


CN 9H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine-6,10(7H,11H)-dione, 17,18-dihydro-11-(phenylmethyl)- (9CI) (CA INDEX NAME)




RN 690994-07-1 CAPLUS
 CN 9H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine,
 6,7,10,11,17,18-hexahydro-11-(phenylmethyl)- (9CI) (CA INDEX NAME)




RN 690994-08-2 CAPLUS
 CN 9H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine,
 6,7,10,11,17,18-hexahydro- (9CI) (CA INDEX NAME)



RN 690994-09-3 CAPLUS
 CN 11H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine-11-acetic acid,
 6,7,9,10,17,18-hexahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-10-6 CAPLUS
 CN 11H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine-11-acetic acid,
 14-formyl-6,7,9,10,17,18-hexahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-11-7 CAPLUS

CN 11H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine-11-acetic acid,
14-(2,7-difluoro-4a,9a-dihydro-3,6-dihydroxy-9H-xanthen-9-yl)-
6,7,9,10,17,18-hexahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-12-8 CAPLUS

CN 11H-Dibenzo[e,k][1,4,7,10,13]tetraoxaazacyclopentadecine-11-acetic acid,
14-(2,7-difluoro-8a,10a-dihydro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-
6,7,9,10,17,18-hexahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690994-13-9 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-(2,7-difluoro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-2,3,5,6,8,9,11,12-
octahydro- (9CI) (CA INDEX NAME)



RN 690994-14-0 CAPLUS

CN 2,5-Pyrrolidinedione, 1-[[[16-(2,7-difluoro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl]acetyl]oxy]- (9CI) (CA INDEX NAME)




IT 36080-56-5P 690993-63-6P 690993-64-7P
 690993-65-8P 690993-66-9P 690993-67-0P
 690993-70-5P 690993-71-6P 690993-84-1P
 690993-85-2P 690993-87-4P 690993-88-5P
 690993-89-6P 690993-90-9P 690993-92-1P
 690993-94-3P 690993-95-4P 690993-96-5P
 690993-97-6P 690993-98-7P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(production of metal-complexing crown ether fluorescent indicators and their use with biol. systems)


RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




RN 690993-63-6 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-64-7 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-formyl-2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX
NAME)




RN 690993-65-8 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-(2,7-difluoro-3,6-dihydroxy-9H-xanthen-9-yl)-2,3,5,6,8,9,11,12-
octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-66-9 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-(2,7-difluoro-6-hydroxy-3-oxo-3H-xanthen-9-yl)-2,3,5,6,8,9,11,12-
octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-67-0 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-[6-[(acetyloxy)methoxy]-2,7-difluoro-3-oxo-3H-xanthen-9-yl]-
2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-70-5 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
2,3,5,6,8,9,11,12-octahydro-16-[2-[4-(methoxycarbonyl)-2-
nitrophenyl]ethenyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-71-6 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
2,3,5,6,8,9,11,12-octahydro-16-nitro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-84-1 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
octahydro-13-(methoxyacetyl)- (9CI) (CA INDEX NAME)




RN 690993-85-2 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
octahydro-13-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 690993-87-4 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde,
2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)- (9CI) (CA INDEX NAME)




RN 690993-88-5 CAPLUS

CN 9H-Xanthene-3,6-diol, 2,7-difluoro-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-
(9CI) (CA INDEX NAME)



RN 690993-89-6 CAPLUS


CN 3H-Xanthhen-3-one, 2,7-difluoro-6-hydroxy-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-
(9CI) (CA INDEX NAME)



RN 690993-90-9 CAPLUS


CN 3H-Xanthhen-3-one, 6-[(acetyloxy)methoxy]-2,7-difluoro-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-

benzotetraoxaazacyclopentadecin-16-yl]- (9CI) (CA INDEX NAME)




RN 690993-92-1 CAPLUS

CN Benzoic acid, 3-nitro-4-[2-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxyethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]ethenyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-94-3 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 2,3,5,6,8,9,11,12-octahydro- α -oxo-, ethyl ester (9CI) (CA INDEX NAME)




RN 690993-95-4 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetamide, 2,3,5,6,8,9,11,12-octahydro-N,N-dimethyl- α -oxo- (9CI) (CA INDEX NAME)




RN 690993-96-5 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-ethanamine,
2,3,5,6,8,9,11,12-octahydro-N,N-dimethyl- (9CI) (CA INDEX NAME)




RN 690993-97-6 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde,
13-[2-(dimethylamino)ethyl]-2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX
NAME)



RN 690993-98-7 CAPLUS

CN Benzoic acid, 4-[2-[13-[2-(dimethylamino)ethyl]-2,3,5,6,8,9,12,13-
octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]ethenyl]-3-
nitro-, methyl ester (9CI) (CA INDEX NAME)



IT 690993-68-1P 690993-69-2P 690993-72-7P
690993-73-8P 690993-74-9P


RL: IMF (Industrial manufacture); TEM (Technical or engineered material)

use); PREP (Preparation); USES (Uses)

(production of metal-complexing crown ether fluorescent indicators and their use with biol. systems)


RN 690993-68-1 CAPLUS

CN Xanthylum, 3,6-bis(dimethylamino)-9-[2,3,5,6,8,9,12,13-octahydro-13-(2-methoxy-2-oxoethyl)-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-16-yl]-
(9CI) (CA INDEX NAME)




RN 690993-69-2 CAPLUS

CN Boron, difluoro[methyl 16-[(3,5-dimethyl-1H-pyrrol-2-yl-κN)(3,5-dimethyl-2H-pyrrol-2-ylidene-κN)methyl]-2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-13-acetato]-, (T-4)-
(9CI) (CA INDEX NAME)




RN 690993-72-7 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid, 2,3,5,6,8,9,11,12-octahydro-16-[(4-sulfohenyl)azo]-, α-methyl ester
(9CI) (CA INDEX NAME)




RN 690993-73-8 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-acetic acid,
16-amino-2,3,5,6,8,9,11,12-octahydro-, methyl ester (9CI) (CA INDEX NAME)




RN 690993-74-9 CAPLUS


CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-carboxylic acid,
16-[[[3',6'-bis(acetyloxy)-2',7'-difluoro-3-oxospiro[isobenzofuran-
1(3H),9'-[9H]xanthen]-5-yl]carbonyl]amino]-2,3,5,6,8,9,11,12-octahydro-,
methyl ester (9CI) (CA INDEX NAME)



L5 ANSWER 5 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:337986 CAPLUS Full-text
 DN 141:173682
 TI DFT calculation of benzoazacrown ethers and their complexes with calcium perchlorate
 AU Avakyan, V. G.; Gromov, S. P.; Vedernikov, A. I.; Dmitrieva, S. N.; Alfimov, M. V.
 CS Center of Photochemistry of the Russian Academy of Sciences, Moscow, 119421, Russia
 SO Russian Chemical Bulletin (Translation of Izvestiya Akademii Nauk, Seriya Khimicheskaya) (2004), 53(1), 24-32
 CODEN: RCBUEY; ISSN: 1066-5285
 PB Kluwer Academic/Consultants Bureau
 DT Journal
 LA English
 AB The complexation consts. of several azacrown ethers with $\text{Ca}(\text{ClO}_4)_2$ were determined and turned out to be the higher, the large the macrocycle. The structures of free ligands and their complexes and the complexation energies were calculated by the DFT method. In the aza-12(15)-crown-4(5) ether complexes with $\text{Ca}(\text{ClO}_4)_2$, the metal cations lie outside the averaged plane of heteroatoms of the macrocycle, and the coordination of both counterions is V-like. In the complexes of aza-18-crown-6 ethers, the counterions are in the axial position relatively to the macrocycle in the center of which the Ca^{2+} ion is localized. The complexation energies increase with an increase in the size of the azacrown ether macrocycle. The involvement of the nitrogen atom in binding with the Ca^{2+} ion decreases with the expansion of the macrocycle. Two methods for quant. estimation of the degree of pre-organization of ligands to complexation were considered: geometric and energetic methods. Benzoaza-15-crown-5 ether is a ligand which is more pre-organized to complexation than N-phenylaza-15-crown-5 ether.
 IT 247074-86-8 247074-88-0 733767-60-7
 733767-63-0 733767-67-4 733767-70-9
 RL: PRP (Properties)
 (DFT calcn. on benzoazacrown ethers and their complexes with calcium perchlorate)
 RN 247074-86-8 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde, 2,3,5,6,8,9,12,13-octahydro-13-methyl- (9CI) (CA INDEX NAME)




RN 247074-88-0 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)



RN 733767-60-7 CAPLUS
 CN Calcium, (2,3,5,6,8,9,12,13-octahydro-13-methyl-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-16-carboxaldehyde- κ N13, κ O1, κ O4, κ O7, κ O10)bis(perchlorato- κ O, κ O')- (9CI) (CA INDEX NAME)



PAGE 1-A



PAGE 3-A



RN 733767-63-0 CAPLUS
 CN Calcium, (2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-16-carboxaldehyde- κ N13, κ O1, κ O4, κ O7, κ O10)bis(perchlorato- κ O, κ O')- (9CI) (CA INDEX NAME)



RN 733767-67-4 CAPLUS
 CN Calcium(1+), (2,3,5,6,8,9,12,13-octahydro-13-methyl-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-16-carboxaldehyde-κN13,κO1,κO4,κO7,κO10) (perchlorato-κO,κO')- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


RN 733767-70-9 CAPLUS
 CN Calcium(1+), (2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-16-carboxaldehyde-κN13,κO1,κO4,κO7,κO10) (perchlorato-κO,κO')- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


RE.CNT 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 6 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:936890 CAPLUS Full-text
 DN 141:23560
 TI A preparation of benzoazacrown ether derivatives from benzocrown ether derivatives
 IN Gromov, S. P.; Dmitrieva, S. N.; Churakova, M. V.
 PA Russia
 SO Russ., No pp. given
 CODEN: RUXXE7
 DT Patent
 LA Russian
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	RU 2215738	C1	20031110	RU 2002-118852	20020717
PRAI	RU 2002-118852		20020717		
OS	MARPAT 141:23560				
GI					



I



II

AB The invention relates to novel nitro-derivs. of N-alkylbenzoazacrown ether of formula I [wherein: R is alkyl; X = N; n = 1-4]. These compds. can be used as selective reagents for cations of ammonium, alkaline or alkaline-earth metals. The stability consts. of I [R is alkyl; X = N; n = 1-4] with NaClO₄, NH₄ClO₄, Mg(ClO₄)₂, Ba(ClO₄)₂, and Ca(ClO₄)₂ were determined. For instance, compound I (R = Me, X = N, n = 1) was prepared via amination/ring opening of I (no R, X = O, n = 1) by methylamine (example 1), chlorination of the obtained II (Y = OH) by SOCl₂ (example 4), iodination of the obtained II (Y = Cl, example 7), and subsequent cyclization (example 10).


IT **511538-56-0P**

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)


(preparation of nitro-derivs. of n-alkylbenzoazacrown ether from derivs. of nitrobenzocrown ether)

RN 511538-56-0 CAPLUS


CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-methyl-16-nitro- (9CI) (CA INDEX NAME)



L5 ANSWER 7 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:692254 CAPLUS Full-text
 DN 139:323504
 TI Novel promising benzoazacrown ethers as a result of ring transformation of benzocrown ethers: synthesis, structure, and complexation with Ca²⁺
 AU Gromov, Sergey P.; Dmitrieva, Svetlana N.; Vedernikov, Artem I.; Kuz'mina, Lyudmila G.; Churakov, Andrey V.; Strelenko, Yuri A.; Howard, Judith A. K.
 CS Photochemistry Center of the Russian Academy of Sciences, Moscow, 119421, Russia
 SO European Journal of Organic Chemistry (2003), (16), 3189-3199
 CODEN: EJOCFK; ISSN: 1434-193X
 PB Wiley-VCH Verlag GmbH & Co. KGaA
 DT Journal
 LA English
 OS CASREACT 139:323504
 GI




AB A series of promising benzoazacrown ethers with the nitrogen atom conjugated with the benzene ring, i.e., I (R = Me, H; n = 0, 1, 2), were synthesized using a novel procedure based on stepwise transformation of the macroheterocycle. The structures and spectral properties of I and their complexes with Ca²⁺ were studied by X-ray diffraction and ¹H, ¹³C, and ¹⁵N NMR spectroscopy including the 2D NOESY technique.
 IT **247074-88-0P**
 RL: BYP (Byproduct); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and structure of benzoazacrown ether aldehydes and their complexation with calcium ion)
 RN 247074-88-0 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)



IT **247074-86-8P**
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and structure of benzoazacrown ether aldehydes and their complexation with calcium ion)
 RN 247074-86-8 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde,

2,3,5,6,8,9,12,13-octahydro-13-methyl- (9CI) (CA INDEX NAME)




IT 615286-92-5P 615286-95-8P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and structure of benzoazacrown ether aldehydes and their complexation with calcium ion)


RN 615286-92-5 CAPLUS

CN Calcium(2+), (2,3,5,6,8,9,12,13-octahydro-13-methyl-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-κN13,κO1,κO4,κO7,κO10)- (9CI) (CA INDEX NAME)




RN 615286-95-8 CAPLUS

CN Calcium(2+), (2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-κN13,κO1,κO4,κO7,κO10)- (9CI) (CA INDEX NAME)



RE.CNT 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 8 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:326945 CAPLUS Full-text
 DN 139:62064
 TI Coordination Properties of a Diarylaza Crown Ether Appended with a
 Luminescent [Ru(bipy)3]2+ Unit
 AU Charbonniere, Loiee J.; Ziessel, Raymond F.; Sams, Craig A.; Harriman,
 Anthony
 CS Laboratoire de Chimie Moleculaire UMR 7008 au CNRS, Ecole de Chimie
 Polymere et Materiaux, Strasbourg, 67087, Fr.
 SO Inorganic Chemistry (2003), 42(11), 3466-3474
 CODEN: INOCAJ; ISSN: 0020-1669
 PB American Chemical Society
 DT Journal
 LA English
 OS CASREACT 139:62064
 GI




AB The [Ru(bipy)2(1)](PF6)2 (bipy refers to 2,2'-bipyridine) complex, comprising
 a Ru(II) tris(2,2'-bipyridine) luminophore covalently linked to a di[(o-
 triethyleneglycoxy)phenyl]amine crown ether (1 = I), was synthesized and fully
 characterized. The photophys. properties of this metal complex were examined
 in solution at ambient temperature. Luminescence from the metal complex is
 enhanced significantly in the presence of various adventitious cations,
 including protons. In particular, Li+ cations bind to the crown ether, as
 evidenced by 1H NMR and luminescence spectroscopy. Cation binding serves to
 decrease the rate of reductive quenching of the triplet state of the metal
 complex, thereby increasing the extent of luminescence. The solution-phase
 conformation of [Ru(bipy)2(1)](PF6)2, with and without encapsulated Li+, was
 examined by 2-dimensional NMR and by mol. dynamics simulations.

IT **548491-25-4 548491-26-5 548491-27-6**
 RL: CPS (Chemical process); FMU (Formation, unclassified); PEP (Physical,
 engineering or chemical process); PRP (Properties); FORM (Formation,
 nonpreparative); PROC (Process)
 (elec. potential of couple containing)


RN 548491-25-4 CAPLUS

CN Ruthenium(1+), bis(2,2'-bipyridine-κN1,κN1')[6,7,9,10,12,13-
 hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl-κN1,κN1')methyl]-
 19H-dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]-, (OC-6-33)-
 (9CI) (CA INDEX NAME)




RN 548491-26-5 CAPLUS

CN Ruthenium, bis(2,2'-bipyridine-κN1,κN1')[6,7,9,10,12,13-hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl-κN1,κN1')methyl]-19H-dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]-, (OC-6-33)-(9CI) (CA INDEX NAME)



RN 548491-27-6 CAPLUS

CN Ruthenate(1-), bis(2,2'-bipyridine-κN1,κN1')[6,7,9,10,12,13-hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl-κN1,κN1')methyl]-19H-dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]-, (OC-6-33)-(9CI) (CA INDEX NAME)




IT 548491-24-3

RL: FMU (Formation, unclassified); FORM (Formation, nonpreparative)
(formation of in preparation of diarylaza crown ether appended bipyridine)

RN 548491-24-3 CAPLUS

CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecinium,
6,7,9,10,12,13-hexahydro-19,19-bis[(5'-methyl[2,2'-bipyridin]-5-yl)methyl]-
(9CI) (CA INDEX NAME)




IT 281680-54-4P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation and complexation with ruthenium)

RN 281680-54-4 CAPLUS


CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine,
6,7,9,10,12,13-hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl)methyl]-
(9CI) (CA INDEX NAME)



IT **548491-22-1DP**, alkali metal complexes
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (preparation and triplet lifetime)
 RN 548491-22-1 CAPLUS
 CN Ruthenium(2+), bis(2,2'-bipyridine-κN1,κN1')[6,7,9,10,12,13-
 hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl-κN1,κN1')methyl]-
 19H-dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]-, (OC-6-33)-
 (9CI) (CA INDEX NAME)



IT **548491-28-7P**
 RL: CPS (Chemical process); PEP (Physical, engineering or chemical
 process); PRP (Properties); SPN (Synthetic preparation); PREP
 (Preparation); PROC (Process)
 (preparation, cyclic voltammetry, calculated mol. structure from mol.
 dynamics
 simulations and luminescence)
 RN 548491-28-7 CAPLUS
 CN Ruthenium(2+), bis(2,2'-bipyridine-κN1,κN1')[6,7,9,10,12,13-
 hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl-κN1,κN1')methyl]-
 19H-dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]-, conjugate
 monoacid, (OC-6-33)- (9CI) (CA INDEX NAME)




IT 281680-51-1P

RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); PROC (Process); RACT (Reactant or reagent)

(preparation, cyclic voltammetry, luminescence quenching of ruthenium diarylaza crown ether appended bipyridine complex with and reaction with 5-bromomethyl-5'-methyl-2,2'-bipyridine)

RN 281680-51-1 CAPLUS

CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine, 6,7,9,10,12,13-hexahydro- (9CI) (CA INDEX NAME)



IT 548491-23-2P

RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); PROC (Process); RACT (Reactant or reagent)

(preparation, luminescence, cyclic voltammetry, quenching from alkali metals

encapsulation and mol. structure from mol. dynamics simulations)

RN 548491-23-2 CAPLUS


CN Ruthenium(2+), bis(2,2'-bipyridine-κN1,κN1')[6,7,9,10,12,13-hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl-κN1,κN1')methyl]-19H-dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]-, (OC-6-33)-, bis[hexafluorophosphate(1-)] (9CI) (CA INDEX NAME)

CM 1

CRN 548491-22-1

CMF C50 H47 N7 O4 Ru

CCI CCS




CM 2

CRN 16919-18-9


CMF F6 P

CCI CCS




RE.CNT 41 THERE ARE 41 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 9 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:244251 CAPLUS Full-text
 DN 139:133548
 TI A novel ring transformation of nitrobenzocrown ethers as a route to
 nitrobenzoazacrown compounds
 AU Gromov, Sergei P.; Dmitrieva, Svetlana N.; Churakova, Marina V.
 CS Photochem. Center, RAS, Moscow, Russia
 SO Synthesis (2003), (4), 593-597
 CODEN: SYNTBF; ISSN: 0039-7881
 PB Georg Thieme Verlag
 DT Journal
 LA English
 OS CASREACT 139:133548
 AB A method for the synthesis of previously unknown nitro derivs. of
 benzoazacrown compds. in which nitrogen is conjugated with the benzene ring,
 based on readily available benzocrown ethers used as synthons, was developed.
 This approach can serve as a useful tool in the synthesis of diverse
 benzoazacrown derivs.
 IT **511538-56-0P**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of nitrobenzoazacrown compds. by ring transformation of
 nitrobenzocrown ethers)
 RN 511538-56-0 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro-13-methyl-16-nitro- (9CI) (CA INDEX NAME)




RE.CNT 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 10 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:836585 CAPLUS Full-text
 DN 138:321259
 TI Synthesis of nitrobenzoazacrown compounds by ring transformations of
 nitrobenzo crown ethers
 AU Gromov, S. P.; Dmitrieva, S. N.; Churakova, M. V.; Turchanov, A. Yu.
 CS Center of Photochemistry, Russian Academy of Sciences, Moscow, 117421,
 Russia.
 SO Russian Chemical Bulletin (Translation of Izvestiya Akademii Nauk, Seriya
 Khimicheskaya) (2002), 51(7), 1335-1336
 CODEN: RCBUEY; ISSN: 1066-5285
 PB Kluwer Academic/Consultants Bureau
 DT Journal
 LA English
 OS CASREACT 138:321259
 AB A stepwise synthetic approach for preparation of a series of
 nitrobenzoazacrowns via cyclization of corresponding podands was proposed. The
 yield of the final compds. was 36-80%.
 IT **511538-56-0P**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (stepwise preparation of nitrobenzoazacrown compds. by ring transformations
 of corresponding nitrobenzo crown ether podands)
 RN 511538-56-0 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro-13-methyl-16-nitro- (9CI) (CA INDEX NAME)




RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 11 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:287594 CAPLUS Full-text
 DN 137:24811
 TI Substitution Effect, Absorption, and Fluorescence Behaviors of
 11,12-Benzo-1,7,10,13-tetraoxa-4-aza- cyclopentadec-11-ene
 (Benzoaza-15-crown-5) Derivatives upon Cation Complexation in Solvent
 Extraction
 AU Nakamura, Mitsunobu; Yokono, Hideaki; Tomita, Ken-ichi; Ouchi, Mikio;
 Miki, Masamichi; Dohno, Reizo
 CS Department of Engineering Science and Department of Applied Chemistry,
 Himeji Institute of Technology, Himeji, Hyogo, 671-2201, Japan
 SO Journal of Organic Chemistry (2002), 67(10), 3533-3536
 CODEN: JOCEAH; ISSN: 0022-3263
 PB American Chemical Society
 DT Journal
 LA English
 AB Substitution effect, absorption, and fluorescence behaviors of some benzoaza-
 15-crown-5 derivs. upon cation complexation in solvent extraction were
 studied. The introduction of a substituent on the nitrogen atom in benzoaza-
 15-crown-5 enhanced extractabilities in the solvent extraction of aqueous
 alkali metal picrates. The nondonating substituents raised the cation
 selectivity for Na⁺ over K⁺, but the donating substituents reduced the cation
 selectivity. The absorption and fluorescence spectral behavior was different
 with the alkali metal cations.
 IT **36080-56-5P**, Benzoaza-15-crown-5
 RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP
 (Physical process); RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); PROC (Process); RACT (Reactant or reagent)
 (substituent effect on alkali metal solvent extraction/complexation by
 benzoaza-15-crown-5 N-derivs.)
 RN 36080-56-5 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro- (9CI) (CA INDEX NAME)




RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 12 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2000:282640 CAPLUS Full-text
 DN 133:89509
 TI Cyclic di[(o-polyethyleneglycoxy)phenyl]amine: new members in the crown ether family
 AU Charbonniere, Loic J.; Ziessel, Raymond F.
 CS Laboratoire de Chimie, d'Electronique et de Photonique Moleculaires, associe au CNRS, Ecole Chimie, Polymeres, Materiaux (ECPM), Strasbourg, 67087, Fr.
 SO Tetrahedron Letters (2000), 41(14), 2373-2376
 CODEN: TELEAY; ISSN: 0040-4039
 PB Elsevier Science Ltd.
 DT Journal
 LA English
 AB The synthesis of cyclic ethers based on polyethylene glycol chains grafted on di(o-hydroxyphenyl)amine is described. The starting (2-HOC₆H₄)₂NH was obtained from a melted salt procedure and coupled to the tosylated tri-, tetra- and pentaethylene glycol. The X-ray crystal structure of the tetraethylene glycol derivative was determined For the triethylene glycol compound, alkylation of the nitrogen atom with 5-bromomethyl-5'-methyl-2,2'-bipyridine (excess or 1 equivalent) led either to the quaternary ammonium salt or to the tertiary amine derivs., resp. The latter reacted with [Re(CO)₅Cl] to give the corresponding Re(I) complex in a facial configuration.
 IT **281680-51-1P 281680-54-4P**
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reactions of cyclic di[(o-oligoethyleneglycoxy)phenyl]amine
 s)
 RN 281680-51-1 CAPLUS
 CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine, 6,7,9,10,12,13-hexahydro- (9CI) (CA INDEX NAME)



RN 281680-54-4 CAPLUS
 CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine, 6,7,9,10,12,13-hexahydro-19-[(5'-methyl[2,2'-bipyridin]-5-yl)methyl]- (9CI) (CA INDEX NAME)




IT 281680-55-5P 282109-76-6P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and reactions of cyclic di[(o-oligoethyleneglycoxy)phenyl]amine
s)



RN 281680-55-5 CAPLUS

CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecinium,
6,7,9,10,12,13-hexahydro-19,19-bis[(5'-methyl[2,2'-bipyridin]-5-yl)methyl]-
, bromide (9CI) (CA INDEX NAME)




RN 282109-76-6 CAPLUS

CN Rhenium, tricarbonylchloro[6,7,9,10,12,13-hexahydro-19-[(5'-methyl[2,2'-
bipyridin]-5-yl-κN1,κN1')methyl]-19H-
dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine]- (9CI) (CA INDEX
NAME)



RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 13 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2000:117460 CAPLUS Full-text
 DN 132:265278
 TI Synthesis and Characterization of a Chiral, Aza-15-Crown-5-Functionalized
 Ferrocenyldiphosphine Ligand for Asymmetric Catalysis
 AU Landis, Clark R.; Sawyer, Rachel A.; Somsook, Ekasith
 CS Department of Chemistry, University of Wisconsin-Madison, Madison, WI,
 53705, USA
 SO Organometallics (2000), 19(6), 994-1002
 CODEN: ORGND7; ISSN: 0276-7333
 PB American Chemical Society
 DT Journal
 LA English
 OS CASREACT 132:265278
 GI



AB A chiral ferrocenyldiphosphine ligand that is functionalized with an aza crown ether, (S)-1-[(R)-1',2-bis(diphenylphosphino)ferrocenyl]ethyl-1-aza-2,3-benzo-15-crown-5 (1; shown as I), was synthesized. Both the resolved and racemic ligands react rapidly with Pt(II) precursors to form stable metal-ligand adducts; the complexes PtMeI(rac-1) and PtMe2(rac-1) were characterized crystallog. Reaction of rac-1 with [Rh(NBD)2]OTf yields [Rh(NBD)(rac-1)]OTf. The three-dimensional solution structure of [Rh(NBD)(rac-1)]OTf was determined by NOESY expts. and anal. using the two-dimensional conformer population anal. algorithm (2DCPA). The NOESY data reveal a rapid, pairwise chemical exchange between vinyl protons. [Rh(NBD)(rac-1)]OTf is a catalyst precursor for hydrogenation reactions. However, the lability of the aza crown ether may limit the ability of these catalysts to control selectivity via secondary interactions.


IT **263026-95-5P**, 1-Aza-2,3-benzo-15-crown-5 triflate
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (formation from aza-15-crown-5-functionalized ferrocenyldiphosphine and allylammonium triflate)

RN 263026-95-5 CAPLUS
 CN Methanesulfonic acid, trifluoro-, compd. with 2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 36080-56-5


CMF C14 H21 N O4



CM 2

CRN 1493-13-6

CMF C H F3 O3 S



IT 263026-92-2P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(preparation and 2DCPA conformational anal. of)

RN 263026-92-2 CAPLUS



CN Rhodium(1+), [(2,3,5,6-η)-bicyclo[2.2.1]hepta-2,5-diene][rel-(1R)-1,1'-bis(diphenylphosphino-κP)-2-[(1R)-1-(2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl)ethyl]ferrocene]-, stereoisomer, salt with trifluoromethanesulfonic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 263026-91-1

CMF C57 H59 Fe N O4 P2 Rh


CCI CCS



CM 2

CRN 37181-39-8

CMF C F3 O3 S




IT 36080-56-5P, 1-Aza-2,3-benzo-15-crown-5

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and N-functionalization by (phosphinoferrocenyl)ethyl)

RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




IT 263026-88-6P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)

(preparation and catalysis of asym. hydrogenation of Me α -
acetamidocinnamate by rhodium complex and)

RN 263026-88-6 CAPLUS

CN Ferrocene, 1,1'-bis(diphenylphosphino)-2-[(1S)-1-(2,3,5,6,8,9,11,12-
octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl)ethyl]-,
(1S)- (9CI) (CA INDEX NAME)




IT 263026-89-7P 263026-93-3P


RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(preparation and crystal structure of)

RN 263026-89-7 CAPLUS

CN Platinum, [rel-(1R)-1,1'-bis(diphenylphosphino- κ P)-2-[(1R)-1-
(2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadec
in-13-yl)ethyl]ferrocene]dimethyl-, (SP-4-3)- (9CI) (CA INDEX NAME)




PAGE 2-A




RN 263026-93-3 CAPLUS

CN Platinum, [rel-(1R)-1,1'-bis(diphenylphosphino-κP)-2-[(1R)-1-(2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl)ethyl]ferrocene]iodomethyl-, (SP-4-2)- (9CI) (CA INDEX NAME)

PAGE 1-A







IT 263026-90-0P 263389-56-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 263026-90-0 CAPLUS


CN Platinum, [rel-(1R)-1,1'-bis(diphenylphosphino-κP)-2-[(1R)-1-(2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl)ethyl]ferrocene]dichloro-, (SP-4-3)- (9CI) (CA INDEX NAME)






RN 263389-56-6 CAPLUS

CN Platinum, [rel-(1R)-1,1'-bis(diphenylphosphino- κ P)-2-[(1R)-1-(2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl)ethyl]ferrocene]iodomethyl-, (SP-4-3)- (9CI) (CA INDEX NAME)





IT 263389-57-7P


RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation, coordinative substitutions with platinum and rhodium complexes

and catalysis of asym. hydrogenation of Me α -acetamidocinnamate by rhodium complex and)


RN 263389-57-7 CAPLUS

CN Ferrocene, 1,1'-bis(diphenylphosphino)-2-[(1R)-1-(2,3,5,6,8,9,11,12-octahydro-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-13-yl)ethyl]-, (1R)-rel- (9CI) (CA INDEX NAME)



RE.CNT 41 THERE ARE 41 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 14 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1999:560743 CAPLUS Full-text
 DN 131:299435
 TI New approach to the synthesis of benzoazacrown ethers
 AU Gromov, S. P.; Vedernikov, A. I.; Dmitrieva, S. N.
 CS Photochemistry Center, Russian Academy of Sciences, Moscow, 117421, Russia
 SO Russian Chemical Bulletin (Translation of Izvestiya Akademii Nauk, Seriya
 Khimicheskaya) (1999), 48(6), 1190-1192
 CODEN: RCBUEY; ISSN: 1066-5285
 PB Consultants Bureau
 DT Journal
 LA English
 OS CASREACT 131:299435
 GI




AB Formyl-substituted benzoazacrown ethers are prepared by ring cleavage of a benzocrown ether with alkylamine to give an aminated podand, which then undergoes derivatization and ring closure to incorporate the aza group into the heterocyclic ring. Thus, 4-formylbenzo-15-crown-5 was cleaved at the ring position para to the formyl group with MeNH₂/MeNH₃⁺Cl⁻ to afford a benzene ring-aminated podand with a terminal alc. group on the chain. Treatment of the alc. group of the podand with SOCl₂/pyridine gave the chloro-substituted derivative which was exchanged with iodide and subsequently cyclized with alkali metal carbonate to give formyl-substituted benzoazacrown ether I. An analog with larger ring size was prepared from 4-formylbenzo-18-crown-6.

IT **247074-86-8P 247074-88-0P**

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)


RN 247074-86-8 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde,
 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




RN 247074-88-0 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-16-carboxaldehyde,
 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




RE.CNT 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 15 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:683632 CAPLUS Full-text
 DN 130:46865
 TI The synthesis of a new cyclodextrin-crown ether chiral stationary phase and application in gas chromatography
 AU Min, Liu; Zhaorui, Zeng; Yuqiang, Ding; Suhuai, Liu
 CS College of Chemistry, Wuhan University, Wuhan, 430072, Peop. Rep. China
 SO Wuhan University Journal of Natural Sciences (1998), 3(3), 337-340
 CODEN: WUNSFV; ISSN: 1007-1202
 PB Wuhan University
 DT Journal
 LA English
 AB A new compound of mono-6-(1'-benzo-aza-15-crown-5)-2,3,6-permethy- β -cyclodextrin (BA-15C5-PM-CD) was synthesized. The structure was studied by IR and NMR spectroscopy. As a stationary phase for capillary gas chromatog., excellent separation for enantiomers and positional isomers was achieved.
 IT **36080-56-5**, Benzo-aza-15-crown-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (in preparation of cyclodextrin-crown ether chiral stationary phase for gas chromatog.)
 RN 36080-56-5 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)





RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 16 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:594206 CAPLUS Full-text
 DN 130:10049
 TI Thermoanalytical studies on crown ether-alkali complexes
 AU Pokol, G.; Agai, B.; Tran, T. M. T.; Bitter, I.; Toke, L.; Gal, S.
 CS Institute of General and Analytical Chemistry, Technical University of
 Budapest, Budapest, 1521, Hung.
 SO Thermochimica Acta (1998), 319(1-2), 87-95
 CODEN: THACAS; ISSN: 0040-6031
 PB Elsevier Science B.V.
 DT Journal
 LA English
 AB Solid samples prepared from benzo-15-crown-5, its nitro, acetylamino and
 decanoylamino derivs. (Group I), and chloro-dibenzo-aza-crown ethers (Group
 II) with alkali metal salts were studied. The existence of solid adducts
 between LiBr, NaSCN, KSCN and crown ethers of Group I was proved by DSC. The
 m.ps. of adducts of the same ligand increase in KSCN<NaSCN<LiBr order. DSC
 and TG results suggested a ligand scission mechanism of thermal decomposition
 for all the complexes except that of benzo-15-crown-5 and KSCN where a
 dissociation and evaporation process took place. The samples prepared from
 crown ethers belonging to Group II are mech. mixts. of the alkali salts and
 crown compds.
 IT **174628-64-9**, 2-Chloro-6,7,9,10,12,13-hexahydro-19H-
 dibenzo[b,n][1,4,7,10,13]monoazatetraoxacyclopentadecine
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (crown ether-alkali complexes detection and ligand:metal molar ratio
 based thermoanal. studies)
 RN 174628-64-9 CAPLUS
 CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine,
 2-chloro-6,7,9,10,12,13-hexahydro- (9CI) (CA INDEX NAME)




RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 17 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:72476 CAPLUS Full-text
 DN 128:154071
 TI Vinyl ethers containing an isothiocyanate group. XIII. Ready
 functionalization of azacrown ethers with 2-(vinylloxy)ethyl isothiocyanate
 AU Nedolya, N. A.; Papsheva, N. P.; Trofimov, B. A.
 CS Siberian Div., Russian Academy Sciences, Irkutsk Inst. Organic Chemistry,
 Irkutsk, 664033, Russia
 SO Russian Journal of Organic Chemistry (Translation of Zhurnal Organicheskoi
 Khimii) (1997), 33(2), 143-146
 CODEN: RJOCEQ; ISSN: 1070-4280
 PB MAIK Nauka/Interperiodica Publishing
 DT Journal
 LA English
 GI




AB Azacrown ethers containing highly efficient vinylloxy and thiocarbamoyl
 fragments, e.g., I and II, were prepared by the quant. addition of azacrown
 ethers (aza-12-crown-4, aza-15-crown-5, aza-18-crown-6, benzoaza-15-crown-5,
 1,7-diaza-12-crown-4, 1,7-diaza-15-crown-5, 1,10-diaza-18-crown-6, and 1,4-
 dioxo-7,10,13-triaza-15-crown-5) to 2-(vinylloxy)ethyl isothiocyanate.
 IT **36080-56-5**, Benzoaza-15-crown-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (addition reaction with 2-(vinylloxy)ethyl isothiocyanate)
 RN 36080-56-5 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro- (9CI) (CA INDEX NAME)




RE.CNT 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


L5 ANSWER 18 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1996:294197 CAPLUS Full-text
 DN 125:33607
 TI Synthesis of dibenzo-monoazacrown ethers
 AU Agai, Bela; Nemeth, Valeria; Bocskei, Zsolt; Simon, Kalman; Bitter, Istvan; Toke, Laszlo
 CS Department Organic Chemical Technology, Technical University Budapest, Budapest, H-1521, Hung.
 SO Tetrahedron (1996), 52(19), 6713-6724
 CODEN: TETRAB; ISSN: 0040-4020
 PB Elsevier
 DT Journal
 LA English
 GI




AB Novel dibenzomonoaza-12-crown-3, -15-crown-4, -18-crown-5, and -21-crown-6 derivs. I ($n = 1-4$, $R = H, Cl$) were synthesized. Two independent methods were developed for the heterocyclization, and the better one was optimized. The structure of crowns I ($n = 1-3$, $R = H$) was confirmed by single-crystal x-ray diffraction.
 IT **174628-64-9P**
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (synthesis of dibenzomonoazacrown ethers)
 RN 174628-64-9 CAPLUS
 CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine,
 2-chloro-6,7,9,10,12,13-hexahydro- (9CI) (CA INDEX NAME)




L5 ANSWER 19 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1996:145679 CAPLUS Full-text
 DN 124:216650
 TI Interesting conformational and substitutional disorder in the crystal structures of three homologous crowns
 AU Bocskei, Zs.; Simon, K.; Nemeth, V.; Agai, B.; Toke, L.
 CS Dep. Chem. Res., CHINOIN Res. Cent., Budapest, H-1325, Hung.
 SO Acta Crystallographica, Section B: Structural Science (1996), B52(1), 194-200
 CODEN: ASBSDK; ISSN: 0108-7681
 PB Munksgaard
 DT Journal
 LA English
 AB The structures of three members of a homologous family of diphenylamine-containing crowns, 2-chloro-6,7,9,10-tetrahydro-16H-dibenzo[b,k][1,4,7,10]monoazatrioxacyclododecine (monoclinic, space group P21/a), 2-chloro-6,7,9,10,12,13-hexahydro-19H-dibenzo[b,n][1,4,7,10,13]monoazatetraoxacyclopentadecine (monoclinic, space group P21), 2-chloro-6,7,9,10,12,13,15,16-octahydro-22H-dibenzo[b,q][1,4,7,10,13,16]monoazapentaoxacyclooctadecine (monoclinic, space group Pc), are reported, compared and trends are established. The largest crown (an 18-crown-6-type) presents an ability to form a mol. compound with H2O mols. spontaneously. The propeller-like conformational behavior of the two Ph rings leads to the presence of two chiral conformers in the unit cell of the crystals. Addnl., due to the conformationally nonequiv. role of the two Ph rings, the Cl substitution leads to two further species, resulting in four different conformers in each crystal structure. The presence of so many species in one crystal generates an interesting type of disorder in two of the three cases.
 IT **174628-64-9**, 2-Chloro-6,7,9,10,12,13-hexahydro-19H-dibenzo[b,n][1,4,7,10,13]monoazatetraoxacyclopentadecine
 RL: PRP (Properties)
 (crystal structure and conformational anal. of)
 RN 174628-64-9 CAPLUS
 CN 19H-Dibenzo[k,n][1,4,7,10,13]tetraoxaazacyclopentadecine, 2-chloro-6,7,9,10,12,13-hexahydro- (9CI) (CA INDEX NAME)




L5 ANSWER 20 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1995:942743 CAPLUS Full-text
 DN 124:146120
 TI Synthesis of heterocyclic crown ethers by intra- versus intermolecular
 1,3-dipolar cycloaddition reactions
 AU L'abbe, Gerrit; Van Wuytswinkel, Grete; Dehaen, Wim
 CS Dep. Chem., Univ. Leuven, Louvain, 3001, Belg.
 SO Bulletin des Societes Chimiques Belges (1995), 104(10), 629-30
 CODEN: BSCBAG; ISSN: 0037-9646
 PB Societe Chimique Belges
 DT Journal
 LA English
 OS CASREACT 124:146120
 GI




AB In the present study we evaluate the use of the 1,3-dipolar cycloaddn.
 reaction as a tool for the formation of heterocyclic crown ethers. Thus,
 intramol. cycloaddn. of 2-N₃C₆H₄O(CH₂CH₂O)₃COC.tplbond.CH gave azacrown ethers
 I and II. Intramol. cycloaddn. of the oxime of 2-
 OHCC₆H₄O(CH₂CH₂O)₃CH₂C.tplbond.CH gave the isoxazolocrown ether III.
 IT **173205-71-5P**
 RL: BYP (Byproduct); PREP (Preparation)
 (preparation of heterocyclic crown ethers via 1,3-dipolar cycloaddns.)
 RN 173205-71-5 CAPLUS
 CN 4H-[1,2,3]Triazolo[5,1-l][1,4,7,10,13]benzotetraoxaazacyclopentadecin-4-
 one, 6,7,9,10,12,13-hexahydro- (9CI) (CA INDEX NAME)




L5 ANSWER 21 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1993:81393 CAPLUS Full-text
 DN 118:81393
 TI Macroheterocycles. IV. Synthesis and analgesic activity of crown ethers containing a Leu-enkephalin and thyroid-releasing hormone fragment
 AU Luk'yanenko, N. G.; Basok, S. S.; Kulikov, N. V.; Karaseva, T. L.; Tsapenko, Zh. N.
 CS Fiz.-Khim. Inst. im. Bogatskogo, Odessa, Ukraine
 SO Khimiko-Farmatsevticheskii Zhurnal (1992), 26(5), 63-6
 CODEN: KHFZAN; ISSN: 0023-1134
 DT Journal
 LA Russian
 GI



AB Benzoaza-15-crown-5 and aza-15-crown-5 derivs. containing enkephalin and thyroid-releasing hormone residues, e.g. I, were synthesized. The synthesized compds. administered i.v. had analgesic activity which increased after insertion of a 6-aminoheptanoic acid residue between the fragment of enkephalin and benzoaza-15-crown-5. The compound with thyroid-releasing hormone residue had the maximum analgesic effect.
 IT **36080-56-5P**, Benzoaza-15-crown-5
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and peptide coupling reactions of, enkephalin derivs. from)
 RN 36080-56-5 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




L5 ANSWER 22 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1982:412622 CAPLUS Full-text
DN 97:12622
TI Extraction of metal salts by using macrocyclic crown ethers
AU Gloe, K.; Muehl, P.; Kholkin, A. I.; Meerbote, M.; Beger, J.
CS Zentralinst. Festkoerperphys. Werkstofforsch., DAW, Dresden, 8027, Ger.
Dem. Rep.
SO Isotopenpraxis (1982), 18(5), 170-5
CODEN: IPRXA9; ISSN: 0021-1915
DT Journal
LA German
AB The extraction of alkali, alkaline earth, and transition metal salts by 8
crown ethers was studied at 22°. The extraction order for dibenzo-18-crown-6
is $\text{Hg} > \text{K} > \text{Tl} > \text{Ag} > \text{Rb} > \text{Cs} > \text{Na} > \text{Sr}$, but for dicyclohexyl-18-crown-6, it
is $\text{Hg} > \text{Sr} > \text{Ag} > \text{K} > \text{Na}$. Compns. of extracted complexes include MLn and
 ML2An while metal complex anions are extracted as M1LM2Am (A = anion, L =
crown ether, M = metal).
IT **36080-56-5**
RL: PRP (Properties)
(extraction by, of metal salts)
RN 36080-56-5 CAPLUS
CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
octahydro- (9CI) (CA INDEX NAME)



L5 ANSWER 23 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1980:446636 CAPLUS Full-text
 DN 93:46636
 TI Exchangers with cyclic polyethers as anchor groups. I. Preparation and characterization
 AU Blasius, E.; Janzen, K. P.; Keller, M.; Lander, H.; Nguyen-Tien, T.; Scholten, G.
 CS Fachrichtung Anorg. Anal. Radiochem., Univ. Saarlandes, Saarbruecken, 6600, Fed. Rep. Ger.
 SO Talanta (1980), 27(2), 107-26
 CODEN: TLNTA2; ISSN: 0039-9140
 DT Journal
 LA German
 AB Numerous ion exchangers with cyclic polyethers as anchor groups were prepared, and their properties examined 4-(Carboxyethyl)- and 4-(hydroxypropyl)benzo crown ethers were fixed to silica gel and used as stationary phases in high-pressure liquid-chromatog.
 IT **74159-04-9P**
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and properties of)
 RN 74159-04-9 CAPLUS
 CN Formaldehyde, polymer with 2,3,5,6,8,9,12,13-octahydro-13-methyl-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecine and phenol (9CI) (CA INDEX NAME)


 CM 1

 CRN 74159-03-8
 CMF C15 H23 N O4




CM 2

 CRN 108-95-2
 CMF C6 H6 O




CM 3


 CRN 50-00-0
 CMF C H2 O




L5 ANSWER 24 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1979:110685 CAPLUS Full-text
 DN 90:110685
 TI Ligands for the alkali cations. Part 5. Complex formation in solid and solution for some nitrogen crown ligands
 AU Blackborow, J. Richard; Lockhart, Joyce C.; Thompson, Maurice E.; Thompson, Derek P.
 CS Dep. Inorg. Chem., Univ. Newcastle upon Tyne, Newcastle upon Tyne, UK
 SO Journal of Chemical Research, Synopses (1978), (2), 53
 CODEN: JRPSDC; ISSN: 0308-2342
 DT Journal
 LA English
 GI



AB The complexing abilities of crown ethers with 1 or 2 O atoms replaced by NH groups were compared by examining the solvent extraction of alkali metal cations with picrate as counterion. Solid NaI complexes were also prepared, but their analyses did not indicate the presence or absence of H₂O of crystallization. The interaction of N crown ligands is weaker than that of their all-O analogs. Complex formation selectivity varies with ring size, peripheral substituent, and number of NH functions. E.g., I (n = 3, 4) have an improved selectivity for K over Na. The reducing complexing power of the N-containing ligands was attributed to H-bonding of the NH groups with crown ether groups, which may stabilize N crowns, especially in H-bonding solvents.
 IT **62871-77-6 62871-78-7**
 RL: PRP (Properties)
 (extraction by, of alkali metals in presence of picric acid)
 RN 62871-77-6 CAPLUS
 CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-butanoic acid, 2,3,5,6,8,9,11,12-octahydro-γ-oxo- (9CI) (CA INDEX NAME)



RN 62871-78-7 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-propyl- (9CI) (CA INDEX NAME)




IT 36080-56-5

RL: PRP (Properties)

(extraction of alkali metals by and crystal structure of)

RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




IT 67379-53-7P 67379-54-8P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of)

RN 67379-53-7 CAPLUS


CN Sodium(1+), (2,3,5,6,8,9,12,13-octahydro-11H-1,4,7,10,13-benzotetraoxaazacyclopentadecin-N13,01,04,07,010)-, iodide (9CI) (CA INDEX NAME)



● I⁻

RN 67379-54-8 CAPLUS


CN Sodium, (2,3,5,6,8,9,11,12-octahydro-γ-oxo-13H-1,4,7,10,13-benzotetraoxaazacyclopentadecine-13-butanoato-N13,01,04,07,010)-, hydriodide (9CI) (CA INDEX NAME)



● HI

L5 ANSWER 26 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1977:502392 CAPLUS Full-text
 DN 87:102392
 TI Macrocyclic hetero imine complexing agents
 IN Pedersen, Charles John; Bromels, Marilyn H.
 PA du Pont de Nemours, E. I., and Co., USA
 SO U.S., 17 pp. Cont. of U.S. 3,847,949.
 CODEN: USXXAM
 DT Patent
 LA English
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	US 4031111	A	19770621	US 1974-503777	19740906
	US 3847949	A	19741112	US 1973-321575	19730108
PRAI	US 1970-36689	A2	19700512		
	US 1973-321575	A1	19730108		
GI					




AB Crown, clam, and lantern benzazapolyoxacycloalkenes were prepared for use as metal complexing agents. Thus, o-(HOCH₂CH₂O)₂C₆H₄ was tosylated, the tosylate treated with PhCH₂NH₂, o-(PhCH₂NHCH₂CH₂O)₂C₆H₄ condensed with o-(4-MeC₆H₄SO₃CH₂CH₂O)₂C₆H₄ to give I (R = CH₂Ph), which was hydrogenated over Pd-C. The resulting I (R = H) formed a Ag complex with a stability constant 10⁷ L/mol.

IT 36080-57-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and isomerization of)

RN 36080-57-6 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-nitroso- (9CI) (CA INDEX NAME)




IT 36080-56-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and nitrosation of)

RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




IT 36080-58-7P


RL: SPN (Synthetic preparation); PREP (Preparation)(preparation of)

RN 36080-58-7 CAPLUS


CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-15-nitroso- (9CI) (CA INDEX NAME)



L5 ANSWER 27 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1977:171416 CAPLUS Full-text
 DN 86:171416
 TI Ligands for the alkali metals. Part 3. Further examples of
 nitrogen-containing 'crown' compounds
 AU Lockhart, Joyce C.; Thompson, Maurice E.
 CS Dep. Inorg. Chem., Univ. Newcastle upon Tyne, Newcastle upon Tyne, UK
 SO Journal of the Chemical Society, Perkin Transactions 1: Organic and
 Bio-Organic Chemistry (1972-1999) (1977), (2), 202-4
 CODEN: JCPRB4; ISSN: 0300-922X
 DT Journal
 LA English
 OS CASREACT 86:171416
 GI



I



II


AB The dibenzocrown I containing 2 secondary amine links was prepared in 4 steps from o-HOC6H4NO2. The monobenzocrown II (R = H) was modified by N-substitution to give II [R = CO(CH2)2CO2H, CO(CH2)2Br]; the bromo compound was reduced to give II [R = Pr, (CH2)3OEt, or (CH2)3Br]. Several other N-containing crown compds. were prepared

IT 62871-75-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reduction of)

RN 62871-75-4 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 13-(3-bromo-1-oxopropyl)-
 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




IT 62871-77-6P 62871-78-7P 62871-79-8P
 62871-80-1P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)


RN 62871-77-6 CAPLUS

CN 13H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine-13-butanoic acid,
 2,3,5,6,8,9,11,12-octahydro-γ-oxo- (9CI) (CA INDEX NAME)




RN 62871-78-7 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro-13-propyl- (9CI) (CA INDEX NAME)




RN 62871-79-8 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 13-(3-ethoxypropyl)-2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)



RN 62871-80-1 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 13-(3-bromopropyl)-2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




IT 36080-56-5


RL: RCT (Reactant); RACT (Reactant or reagent)
(substitution reaction of)

RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)



L5 ANSWER 28 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1975:525817 CAPLUS Full-text
 DN 83:125817
 TI Column and thin-layer chromatography of some nitrogen crowns
 AU Blackborow, J. R.; Lockhart, J. C.; Minnikin, D. E.; Robson, A. C.;
 Thompson, M. E.
 CS Dep. Inorg. Chem., Univ. Newcastle upon Tyne, Newcastle upon Tyne, UK
 SO Journal of Chromatography (1975), 107(2), 380-2
 CODEN: JOCRAM; ISSN: 0021-9673
 DT Journal
 LA English
 GI For diagram(s), see printed CA Issue.
 AB Synthesized N crown compds. were separated from other components in the oily
 product obtained by condensation of dichloropolyethers with o-aminophenol or
 o-phenylenediamine by adsorption on a 30-80 mesh Celite, which was then packed
 on top of an alumina column and eluted with light petroleum containing
 increasing amts of Et2O. The eluted fractions were collected, evaporated and
 monitored by thin-layer chromatog. on Polygram SIL G precoated silica plates
 by using EtOH or 40:60 Me2CO-light petroleum solvents. The spots were
 detected in a tank of I vapor. The Rf values of o-aminophenol, 2-
 morpholinophenol, benzo-12-azacrown-4, and N-(2-hydroxyphenyl)-12- azacrown-4
 were 0.79, 0.77, 0.69, and 0.51, resp., when EtOH was used as solvent. When
 the starting material for the crown compound synthesis was a mixture of
 dihalides obtained from the action of SOCl2 on BDH Polyethylene Glycol 400,
 compds. I, II, III, and IV were isolated chromatog. from the product and
 characterized by elemental anal., mass spectrometry, and NMR.
 IT **36080-56-5**
 RL: ANT (Analyte); ANST (Analytical study)
 (chromatog. of)
 RN 36080-56-5 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-
 octahydro- (9CI) (CA INDEX NAME)



L5 ANSWER 29 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1975:73049 CAPLUS Full-text
 DN 82:73049
 TI Macrocyclic hetero imine complexing agents
 IN Pedersen, Charles J.; Bromels, Marilyn H.
 PA du Pont de Nemours, E. I., And Co.
 SO U.S., 14 pp.
 CODEN: USXXAM

DT Patent
 LA English
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 3847949	A	19741112	US 1973-321575	19730108
	US 4031111	A	19770621	US 1974-503777	19740906
PRAI	US 1970-36689	A2	19700512		
	US 1973-321575	A1	19730108		

GI For diagram(s), see printed CA Issue.


AB The crown comps. I (n = 1,2) and II (X = O, NH) were prepared by known methods. Lithiation of II (X = O) and treatment with Br(CH₂)₁₀Br gave the clam compound III. Lithiation of II (X = NH) and reaction with o-(p-MeC₆H₄SO₃CH₂CH₂O)C₆H₄ gave the lantern compound IV. II (X = NH) formed as Ag complex with equilibrium constant in H₂O of 107 l./mole. IV formed a K complex in MeOH, which had an equilibrium constant of 107±0.3.

IT **36080-57-6P**

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and isomerization of)

RN 36080-57-6 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-nitroso- (9CI) (CA INDEX NAME)




IT **36080-56-5P**

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and nitrosation of)

RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




IT **54535-05-6P**


RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)

RN 54535-05-6 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-17-nitroso- (9CI) (CA INDEX NAME)



L5 ANSWER 30 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1973:124560 CAPLUS Full-text
 DN 78:124560
 TI Preparation of nitrogen-containing polyether crown compounds
 AU Lockhart, J. C.; Robson, A. C.; Thompson, M. E.; Sister D. Furtado; Kaura, C. K.; Allan, A. R.
 CS Dep. Inorg. Chem., Univ. Newcastle upon Tyne, Newcastle-upon-Tyne, UK
 SO Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (1973), (6), 577-81
 CODEN: JCPRB4; ISSN: 0300-922X
 DT Journal
 LA English
 GI For diagram(s), see printed CA Issue.
 AB Cl(CH₂)₂O]_n(CH₂)₂Cl (I; n = 1) with o-aminophenols and o-phenylenediamines gave the corresponding morpholinophenols and morpholinoamines, resp. E.g. I (n = 1) with 2-H₂NC₆H₄OH (II) gave 2-morpholinophenol. I (n = 2 and 3) with 1,2-(H₂N)₂C₆H₄ (III) gave N containing polyether crown compds. E.g. I (n = 3) with III gave 1,2,3,4,5,6,7,8,9,11,13-decahydro-4,7,10,1,13-benzotrioxadiazacyclopentadecin (IV), although I (n = 3) with II also gave 2-(1,4,7-trioxa-10-azacyclododecan-10-yl)-phenol (V). The products were characterized by their spectral properties.
 IT **36080-56-5P**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 36080-56-5 CAPLUS
 CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)



L5 ANSWER 31 OF 31 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1972:140930 CAPLUS Full-text
 DN 76:140930
 TI Macrocyclic imines
 IN Bromels, Marilyn H.; Pedersen, Charles J.
 PA du Pont de Nemours, E. I., and Co.
 SO Ger. Offen., 52 pp.
 CODEN: GWXXBX
 DT Patent
 LA German
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 2123256	A	19711223	DE 1971-2123256	19710511
	CA 966127	A1	19750415	CA 1971-109284	19710331
	ES 391018	A1	19740401	ES 1971-391018	19710510
	BE 767022	A1	19711001	BE 1971-103315	19710511
	NL 7106456	A	19711116	NL 1971-6456	19710511
	FR 2088519	A5	19720107	FR 1971-16967	19710511
	FR 2088519	B1	19730608		
	BR 7102821	A0	19730417	BR 1971-2821	19710511
	SE 405476	C	19790322	SE 1971-6083	19710511
	SE 405476	B	19781211		
	GB 1339667	A	19731205	GB 1971-14501	19710512
	ES 417898	A1	19760616	ES 1973-417898	19730814
	SE 7408641	A	19740701	SE 1974-8641	19740701
	SE 408708	C	19791011		
	SE 408708	B	19790702		
PRAI	US 1970-36689	A	19700512		

GI For diagram(s), see printed CA Issue.


AB The title compds. [e.g., I, X, X1, X2 = NR, O, R = e.g., H, NO, or PhCH₂; Q = e.g., (CH₂)₂, (CH₂)₃, o-C₆H₄; or, e.g., II or III] with at least 1 N, several O's separated by 2 or 3 C atoms, and from their configurations named as "crown" (monomacrocyclic, I), "lantern" (bimacrocyclic, II), and "clam" (bridged, III) compds., useful as complexing agents, were prepared Thus, 20.7 g o-H₂NC₆H₄OH and 52.2 g ClCH₂(CH₂OCH₂)₄CH₂Cl in BuOH was refluxed under N, aqueous NaOH added, and the mixture refluxed to give 9.3 g oily I [X = NH, X1 = X2 = O, Q = (CH₂)₂]. Eleven other I, II, III, and derivs. thereof were similarly prepared

IT **36080-56-5P 36080-57-6P 36080-58-7P**

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)


RN 36080-56-5 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro- (9CI) (CA INDEX NAME)




RN 36080-57-6 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-13-nitroso- (9CI) (CA INDEX NAME)




RN 36080-58-7 CAPLUS

CN 11H-1,4,7,10,13-Benzotetraoxaazacyclopentadecine, 2,3,5,6,8,9,12,13-octahydro-15-nitroso- (9CI) (CA INDEX NAME)



=> d l2; d his; log y
L2 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.
L2 QUE ABB=ON PLU=ON L1

(FILE 'REGISTRY' ENTERED AT 17:20:28 ON 21 JUL 2005)
DEL HIS Y
L1 STRUCTURE UPLOADED
L2 QUE L1
L3 7 S L2
L4 97 S L2 FUL

FILE 'CAPLUS' ENTERED AT 17:22:33 ON 21 JUL 2005
L5 31 S L4

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	154.49	477.79
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-22.63	-22.63

STN INTERNATIONAL LOGOFF AT 17:24:11 ON 21 JUL 2005